# Department of Defense Standardization Program



# **ASSIST UPDATE**

(A bi-monthly summary of changes to the ASSIST document database)

1 February 2009

(For the Period 15 January 2009 to 31 January 2009)

#### ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document. "N" indicates that a "new" document has been entered into the ASSIST database. "M" indicates that a document already in ASSIST has been "modified" in some way. The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at http://assist.daps.dla.mil for the most current information. If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at http://assist.daps.dla.mil/online/registration/registration.cfm. Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <a href="http://assist.daps.dla.mil/online/news/AlertService.htm">http://assist.daps.dla.mil/online/news/AlertService.htm</a>.

### **ASSIST UPDATE**

ACTIVE SECTION	ASSIST OFDATE					
Z.		NO				
OII		DISTRIBUTION	∢:		ľŸ	
C POST NUMBER		ΙBΙ	RE/		ACTY	
TS		TR	FSC/AREA	٥	: A	
DOCUMENT NUMBER	DOCUMENT TITLE	OIS	SE	MCA	PREP	DATE
M MIL-O-70548(6) NOT 3	Oburating Band, Plastic Split (Molded) [CUST: AR]	Ā	1315		AR	21-JAN-2009
M MIL-N-246B(I4) NOT 1	Nitroglycerin [CUST: AR]	A	1376		AR	23-JAN-2009
M JSSG-2001B NOT 1	Air Vehicle [CUST: AV AS 11]	A	15GP		AS	29-JAN-2009
M QPL-7891-9 NOT 1	Filler Valve, Aircraft Oxygen (Replaced by the Qualified Products Database (QPD) see Notice for		1660		71	15-JAN-2009
W (12 /0)1 / WOT 1	Additional Information)	1	1000		, 1	13 3711 2009
N MIL-DTL-13791/1	Ignition Distributor Assembly, 6 CYL, RH Submersible [CUST: AT SH CC] [REVIEW: CR CR4	A	2920		CC	15-JAN-2009
	MC]					
N MIL-DTL-13791/2	Ignition Distributor Assembly, 6 Cylinder [CUST: AT SH CC] [REVIEW: CR CR4 MC]		2920		CC	15-JAN-2009
N MIL-DTL-13791/3	Ignition Distributor Assembly [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A	2920		CC	15-JAN-2009
N MIL-DTL-13791/4	Ignition Distributor Assembly, Electronic [CUST: AT SH CC] [REVIEW: CR CR4 MC]		2920		CC	15-JAN-2009
N MIL-DTL-13791/5	Ignition Distributor Assembly, with Coil [CUST: AT SH CC] [REVIEW: CR CR4 MC]				CC	15-JAN-2009
N MIL-DTL-13791/6	Ignition Distributor Assembly, L.H. 4 Cycle Submersible [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A	2920		CC	15-JAN-2009
N MIL-DTL-13791/7	Ignition Distributor Assembly, Heavy Duty L.H. 4 Cycle Submersible [CUST: AT SH CC]	A	2920		CC	15-JAN-2009
11 11111 1111 1111111111111111111111111	[REVIEW: CR CR4 MC]	1	2,20		cc	13 3711 2009
N MIL-DTL-13791/8	Ignition Distributor Assembly, 4 Connector Cap [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A	2920		CC	15-JAN-2009
N MIL-DTL-13791/10	Insert, Screw Thread [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A	2920		CC	15-JAN-2009
N MIL-DTL-13791/11	Rotor Assembly [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A	2920		CC	15-JAN-2009
N MIL-DTL-13791/12	Distributor Cap Assembly, 6 Cycle [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A	2920		CC	15-JAN-2009
N MIL-DTL-13791/13	Distributor Cover Assembly, 6 Connector Cap [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A	2920		CC	15-JAN-2009
N MIL-DTL-13791/14	Distributor Cover Assembly, Cap [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A	2920		CC	15-JAN-2009
N MIL-DTL-13791/15	Rotor Assembly [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A	2920		CC	15-JAN-2009
N MIL-DTL-13791/16	Sparking Gap [CUST: AT SH CC] [REVIEW: CR CR4 MC]	Α	2920		CC	15-JAN-2009
N MIL-DTL-13791/17	Rotor Assembly Mount [CUST: AT SH CC] [REVIEW: CR CR4 MC]	Α	2920		CC	15-JAN-2009
N MIL-DTL-13791/19	Ignition Distributor, Contact Set [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A	2920		CC	15-JAN-2009
N MIL-DTL-13791/20	Ignition Distribution Coil, Internal Ballast [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A	2920		CC	15-JAN-2009
N MIL-DTL-13791/21	Retainer Bearing [CUST: AT SH CC] [REVIEW: CR CR4 MC]	A			CC	15-JAN-2009
N MIL-DTL-13791/22	Machine-Pan Head Screw, Cross-Recessed, Carbon Steel, Proper Protected Coating Plated, UNC-2A	A			CC	15-JAN-2009
11 MIE DIE 13791722	[CUST: AT SH CC] [REVIEW: CR CR4 MC]	1	2,20		cc	13 3711 2009
M MIL-DTL-11040G SUP 1	Belt, V: Engine Accessory Drive, General Specification for [CUST: AT YD 99 CC] [REVIEW: 71	A	3030		CC	15-JAN-2009
	AR MC MI SH SM]					
M MS51065E	Belt, V: Engine Accessory Drive (0.380 Inch Width) [CUST: AT YD 99 CC] [REVIEW: AR AS	A	3030		CC	15-JAN-2009
M MSS10CE	MC SH]		2020		CC	15 JAN 2000
M MS51066E	Belts, V: Engine Accessory Drive (0.500 Inch Width) [CUST: AT YD 99 CC] [REVIEW: AR AS MC SH]	A	3030		CC	15-JAN-2009
M MS51067E	Belts, V: Engine Accessory Drive (0.688 Inch Width) [CUST: AT YD 99 CC] [REVIEW: AR AS	A	3030		CC	15-JAN-2009
WI WISSIONE	MC SH]	1	3030		cc	15 3711 2009
M MS51068E	Belts, V: Engine Accessory Drive (0.750 Inch Width) [CUST: AT YD 99 CC] [REVIEW: AR AS	Α	3030		CC	15-JAN-2009
	MC SH]					
M MS51069E	Belts, V: Engine Accessory Drive (0.875 Inch Width) [CUST: AT YD 99 CC] [REVIEW: AR AS	A	3030		CC	15-JAN-2009
M MS51070E	MC SH]  Relte, V. Farring Accessory, Drive (1,000 Iroh Width) [CUST, AT VD 00 CC] [DEVIEW, AD AC		2020		CC	15 JAN 2000
M MS510/0E	Belts, V: Engine Accessory Drive (1.000 Inch Width) [CUST: AT YD 99 CC] [REVIEW: AR AS MC SH]	A	3030		CC	15-JAN-2009
M QPL-18953-30 NOT 1		A	4140		SH	15-JAN-2009
(	Fans, Vaneaxial and Tubeaxial, Ventilation and Air Conditioning, Naval Shipboard (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)					
M A-A-59108B	Truck, Fire Fighting (Aircraft Rescue) (ARFF) [CUST: 84] [REVIEW: CC]	A	4210	/	84	22-JAN-2009
M QPL-81561-15 NOT 3	Life Preserver, Inflatable, Cemented, Aircrewman, (with Aramid Casing), Type LPU-21B/P	Α	4220		AS	20-JAN-2009
	(Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)					
M QPL-24135-41 NOT 1	Hose, Synthetic Rubber, Wire Reinforced, for Flexible Hose Assemblies General Specification for	A	4720		SH	22-JAN-2009
N 500 to G NOTE 1	(Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	١.	1010	,	0.4	20 1131 2000
M A-A-58048C NOT 1	Guard, Safety, Tire Inflation [CUST: 84] [REVIEW: 99 CC]	A		/		29-JAN-2009
M A-A-59324A NOT 1	Maintenance Platform, Self-Propelled, Electric [CUST: 84] [REVIEW: 99]	A	4940	/		29-JAN-2009
M A-A-59572 NOT 1	Gage, Comparator, Electric [CUST: 99]		5220	/		29-JAN-2009
M A-A-55618D NOT 1	Caster, Swivel, Kingpinless Industrial, Heavy Duty with Towing Application [CUST: AS 99 IS] [REVIEW: 71]	A	5340	/	IS	21-JAN-2009
M FF-P-110J(1) NOT 2	Padlock, Changeable Combination (Resistant to Opening by Manipulation and Surreptitious Attack)	Δ	5340	/	IS	21-JAN-2009
W 11-1-1103(1) 1001 2	[CUST: AV YD 99 IS] [REVIEW: 71 CE CG MC OS]	11	3340	,	15	21-3/111-2009
M MIL-DTL-32086 NOT 1	Intercom, Portable [CUST: AS]	A	5895		AS	29-JAN-2009
M MIL-PRF-23648F(2) SUP 1A	Resistors, Thermal, (Thermistor) Insulated, General Specification for [CUST: CR EC 85 CC]		5905		CC	23-JAN-2009
,	[REVIEW: 19 99 AR AS AT AV CG CR4 MC NA OS]					
M MIL-PRF-28861/2C(1)	Filters, Radio Frequency/Electromagnetic Interference Suppression, Hermetically Sealed, Style FS2	A	5915		CC	23-JAN-2009
M MI PRE 20061/26(1)	[CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH]	١.	5015		CC	22 1431 2000
M MIL-PRF-28861/3C(1)	Filters, Radio Frequency/Electromagnetic Interference Suppression, Hermetically Sealed, Style FS30 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH]	A	5915		CC	23-JAN-2009
M MIL-PRF-28861/4D(1)	Filters, Radio Frequency/Electromagnetic Interference Suppression, Hermetically Sealed, Style FS40	A	5915		CC	23-JAN-2009
W WIE 110 20001/4B(1)	[CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH]	1.	3713		cc	23 3711 ( 200)
M MIL-PRF-28861/5C(1)	Filters, Radio Frequency/Electromagnetic Interference Suppression, Hermetically Sealed, Style FS50	A	5915		CC	23-JAN-2009
	[CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AV MC MI OS SH]					
M MIL-DTL-13625/1B	Switches, Pull; Switches, Push; Beam Selecting, Headlight: Electrical (28 Volts DC Maximum, for	A	5930		CC	21-JAN-2009
M MI DTI 12625/2D	Military Vehicles) [CUST: AT CC]		5020		CC	21 JAN 2000
M MIL-DTL-13625/2B	Switches, Pull; Switches, Push; Switches, Beam Selecting, Headlight: Electrical (28 Volts DC Maximum, for Military Vehicles) [CUST: AT CC]	A	5930		CC	21-JAN-2009
M QPL-AS81714-1 NOT 1	Terminal Junction System (TJS), Environment Resistant, General Specification for (Replaced by the	A	5940		AS	29-JAN-2009
	Qualified Products Database (QPD) see Notice for Additional Information)	` `	2210			2, 5.11, 2007
M MIL-PRF-83536/10C	Relays, Electromagnetic, Established Reliability, DPDT, Low Lever to 10 Amperes, Permanent	A	5945		CC	08-JAN-2009
	Magnet Drive, Hermetically Sealed, all Welded, Transient Suppressed DC Coils [CUST: CR EC 85					
M MII DDE 92724/29E	CC] [REVIEW: 99]  Polovo Hubrid Timo Polov (on Operato) Close P. Tupo I. Harmatically Scaled DDDT 10		5045		CC	00 TAN 2000
M MIL-PRF-83726/28F	Relays, Hybrid, Time Delay (on Operate), Class B, Type I, Hermetically Sealed, DPDT, 10 Amperes, Fixed Time, 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]	A	5945		CC	08-JAN-2009
	Time Time, of the sour seconds [COST, EC 05 CC] [REVIEW, 17 OS]	L				
11 EED 2000						

01-FEB-2009

### **ASSIST UPDATE**

ACTIVE SECTION	ASSIST OFDATE					
z		N				
OF		ĭ	_		7	
[ <del>5</del>		BO	Œ/		Ş	
Y L		I.R.	/AF	∢	.P. Δ	
COON TO THE THE TO THE	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M MIL-PRF-83726/29F	Relays, Hybrid, Time Delay (on Release), Class B, Type IIA, Hermetically Sealed, DPDT, 10	$\bar{A}$	5945		CC	08-JAN-2009
M MIL-PRF-83726/31F	Amperes, Fixed Time, 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS] Relay, Hybrid, Time Delay (on Release), Class B, Type IIA, Hermetically Sealed, DPDT, 10	A	5945		CC	12-JAN-2009
	Amperes, Adjustable Time Delay (External Resistor), 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]					
M MIL-PRF-19500/371G	Semiconductor Device, Transistor, NPN, Silicon, High Power, Types 2N3902, 2N3902T1, 2N3902T3, 2N5157, 2N5157T1, and 2N5157T3, JAN, JANTX and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS MC]	A	5961		CC	28-JAN-2009
M MIL-PRF-19500/477J(1)	Semiconductor Device, Diode, Silicon, Ultrafast Recovery, Power Rectifier, Types 1N5802, 1N5804, 1N5806, 1N5807, 1N5809, and 1N5811, 1N5802US, 1N5804US, 1N5806US, 1N5807US, 1N5809US, and 1N5811US, 1N5802URS, 1N5804URS, 1N5806URS, 1N5807URS, 1N5809URS, and 1N5811URS, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961		CC	28-JAN-2009
M MIL-PRF-19500/485L	Semiconductor Device, Transistor, PNP, Silicon, Low-Power Types: 2N5415, 2N5415S, 2N5415UA, 2N5415U4, 2N5416, 2N5416S, 2N5416UA, and 2N5416U4, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC] [REVIEW: 19 99 AR MI]	A	5961		CC	26-JAN-2009
M MIL-PRF-19500/570D	Semiconductor Device, Transistor, Field Effect, N-Channel, Silicon Logic-Level, Types 2N6901 and 2N6903, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI OS SH SM]	A	5961		CC	11-JAN-2009
M MIL-PRF-19500/741A	Semiconductor Device, Field Effect, Radiation Hardened (Total Dose and Single Event Effects) Transistor Die, N-Channel and P-Channel, Silicon, Various Types, JANHC and JANKC [CUST: CR EC 85 CC NA]	A	5961		CC	30-JAN-2009
M QPL-19166-30 NOT 1	Insulation Tape, Electrical, High-Temperature, Glass Fiber, Pressure-Sensitive (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5970		SH	16-JAN-2009
M MIL-DTL-3933/17C	Attenuators, Fixed, Coaxial Line (TNC Connectors), Frequency Range: DC to 18 GHz, Low Power [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI SH]	A	5985		CC	20-JAN-2009
M MIL-DTL-22442/7 NOT 1 M MIL-PRF-24623/6A	Cable Assembly, Aircraft Audio, Connector TJ-106 [CUST: AS] Splice, Fusion, Fiber Optic Protector [CUST: CR SH 85 CC NA] [REVIEW: 19 93 99 AR AS CG		5995 6060		AS SH	29-JAN-2009 16-JAN-2009
M MIL-DTL-17/192D(2)	EC MC MI]  Cable, Radio Frequency, Flexible, Coaxial, 50 Ohms, Low Smoke, M17/192-00001, M17/192-00002 (Temperature Stabilized) and M17/192-00003 (Water Resistant) [CUST: CR EC 85 CC] [REVIEW: 10.71 O. A.P. A.T. CRAMC MI	A	6145		CC	13-JAN-2009
M MIL-DTL-44258B NOT 2	19 71 99 AR AS AT CR4 MC MI OS SH] Electrical, Distribution Assemblies for Tent, Extendable, Modular, Personnel (Temper) [CUST: GL 99 GS8] [REVIEW: 71]	A	6150		GS8	21-JAN-2009
M A-A-59721 NOT 1	Load, Bank, Electrical [CUST: 99]		6150	/	84	29-JAN-2009
M A-A-59573 NOT 1	Light, Extension-(Portable, Fluorescent, Hazardous Location use) [CUST: 99] [REVIEW: IS]	A		/	84	29-JAN-2009
M A-A-59575 NOT 1	Light Unit, Portable, (Hazardous Location use, for Inside Paint Spray Booth) [CUST: 99] [REVIEW: IS]		6230	/	84	29-JAN-2009
M A-A-59169 NOT 1	Generator, Function (0.1HZ to 15MHZ) [CUST: 84] [REVIEW: 99]	A		/	84	29-JAN-2009
M A-A-59513 NOT 1 M A-A-59574 NOT 1	Generator, Signal 10 MHZ to 26.5 GHZ [CUST: 99] Fuel Oxidation Tester, ASTM D3241 [CUST: 99]	A A	6625 6630	/	84 84	29-JAN-2009 29-JAN-2009
M GG-T-356B NOT 2	Thermometer, Self Indicating, Liquid in Glass, Minimum, (Meteorological) [CUST: CR1 OS 99 GS1] [REVIEW: 01 AS CR4]	A	6660	/	GS1	21-JAN-2009
M MIL-DTL-11132/54B N MIL-DTL-11589/630	Badge, Qualification, Marksmanship, Marksman, Army JROTC [CUST: IH] [REVIEW: CT] Ribbon, National Intelligence Expeditionary Service Award Office of the Director of National		8455 8455		IH IH	10-JAN-2009 30-JAN-2009
N ASTM-F1614	Intelligence [CUST: IH] [REVIEW: CT] Footwear, Athletic, Shock Attenuating Properties of Material Systems, Standard Test Method for [CUST: GL NU 99]	A	84GP		CT	12-JAN-2009
N ASTM-F2413	Footwear Protection, Standard Performance Requirements for [CUST: GL NU 99]	A	84GP		CT	12-JAN-2009
M QPL-23549-15 NOT 1	Grease, General Purpose (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	9150		AS	29-JAN-2009
M QPL-AMS-G-4343-2 NOT 1	Grease, Pneumatic System (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)		9150		AS	29-JAN-2009
N MIL-HDBK-510-2	Aerospace Fuels Certification [CUST: 11] [REVIEW: 68]	C	91GP	,	11	13-JAN-2009
M A-A-59167 NOT 2 N ASME-Y14.2	Magnet Materials, Permanent [CUST: MI] Line Conventions and Lettering [CUST: AR SA 16] [REVIEW: 13 99 AS CG CH CM CR DC2 DH	A	9535 DRPR	/	MI AR	20-JAN-2009
	EC IE MC MI MP NP NS PT SE TD TM2]					30-SEP-2008
M MIL-HDBK-704-1 NOT 1	Guidance for Test Procedures for Demonstration of Utilization Equipment Compliance to Aircraft Electrical Power Characteristics (Part 1 of 8 Parts) [CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD]	A	SESS		AS	29-JAN-2009
M MIL-HDBK-704-2 NOT 1	Guidance for Test Procedures for Demonstration of Utilization Equipment Compliance to Aircraft Electrical Power Characteristics Single Phase, 400 HZ, 115 Volt (Part 2 of 8 Parts) [CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD]	A	SESS		AS	29-JAN-2009
M MIL-HDBK-704-3 NOT 1	Guidance for Test Procedures for Demonstration of Utilization Equipment Compliance to Aircraft Electrical Power Characteristics Three Phase, 400 HZ, 115 Volt (Part 3 of 8 Parts) [CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD]	A	SESS		AS	29-JAN-2009
M MIL-HDBK-704-4 NOT 1	Guidance for Test Procedures for Demonstration of Utilization Equipment Compliance to Aircraft Electrical Power Characteristics Single Phase, Variable Frequency, 115 Volt (Part 4 of 8 Parts) [CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD]	A	SESS		AS	29-JAN-2009
M MIL-HDBK-704-5 NOT 1	Guidance for Test Procedures for Demonstration of Utilization Equipment Compliance to Aircraft Electrical Power Characteristics Three Phase, Variable Frequency, 115 Volt (Part 5 of 8 Parts) [CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD]	A	SESS		AS	29-JAN-2009
M MIL-HDBK-704-6 NOT 1	Test Procedures for Demonstration of Utilization Equipment Compliance to Aircraft Electrical Power Characteristics Single Phase, 60 HZ, 115 Volt (Part 6 of 8 Parts) [CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD]	A	SESS		AS	29-JAN-2009
M MIL-HDBK-704-7 NOT 1	Guidance for Test Procedures for Demonstration of Utilization Equipment Compliance to Aircraft Electrical Power Characteristics 270 VDC (Part 7 of 8 Parts) [CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD]	A	SESS		AS	29-JAN-2009
M MIL-HDBK-704-8 NOT 1	Guidance for Test Procedures for Demonstration of Utilization Equipment Compliance to Aircraft Electrical Power Characteristics 28 VDC (Part 8 of 8 Parts) [CUST: AV AS 11] [REVIEW: CR EC MC MI SA SH TE YD]	A	SESS		AS	29-JAN-2009
01 EED 2000						

01-FEB-2009 2

## **INACTIVE SECTION**

### **ASSIST UPDATE**

M. M.L.   P.   SARPE   Co.   A.   1960   71   SA-1AR-2007	INACTIVE SECTION	ASSIST OFDATE				
M. M. E. D. T. SSRIP   Control Physics   Low Pressure, Novellumenhale (CLST AV AS 37) [HFVFFW 1 CS]   A 500   71   SALARA-2009   M. NRCSS REY ANDT 1   SSRIP	Z V V V V V V V V V V V V V V V V V V V		RIBUTION	AREA	ACTY	
M. M. E. D. T. SSRIP   Control Physics   Low Pressure, Novellumenhale (CLST AV AS 37) [HFVFFW 1 CS]   A 500   71   SALARA-2009   M. NRCSS REY ANDT 1   SSRIP	AS/		IST	SC/	ICA	
M. MIL.D-11.33/97H. M. ANGERS REV. 14 NOT 1  M. MACAST RUY 4 NOT 1  M. MIL. 241 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
Galact, Hydraid Replacede Reserved Type Filter Benomic (UST, AV & 891)  EVERY MC			1			
Semiconductor Device, Prode, Type, 1878-64, 187046, and 1878-67 AM and JANTS   A 9601   CC   20.3AN-2009   MM MIL-A-3913-21C   MM MIL-A-3913-21C   MM MIL-A-3913-21C   MM MIL-A-3913-21C   MM MIL-A-3913-21C   MM MIL-A-3913-21C   MM MIL-A-3910-32C	M AN6238 REV 4 NOT 1		1			
Attenuators, Freed, Tre-5 Configurations, Class IV, Low Power (CUST-CR EC SS CC) [REVIEW, A 9895 CC 29-JAN-2009 MM MIL-A-398324B C 2014 MM COST 1 COST 29-JAN-2009 MM MIL-A-398324B C 2014 MM COST 2014	M MIL-PRF-19500/279E	Semiconductor Device, Diode, Types 1N3644, 1N3645, 1N3646, and 1N3647 JAN and JANTX	A	5961	CC	26-JAN-2009
Attenuator, Fascel. Cestral Line. (SAA Connectors). Billithood. Class PL, Low Power [CUST: CR. 8, 95%] CC. 20-JAN-2009.  M. MILP-338154C M. MILP-338003C M. MILP-1738003C M. MIL	M MIL-A-3933/23C	Attenuators, Fixed, To-5 Configuration, Class IV, Low Power [CUST: CR EC 85 CC] [REVIEW:	A	5985	CC	20-JAN-2009
M. MIL-W-2851-IIC.  Waveguids. Double Ridge (Bandwich Ratio 24-1) (CUST: CR E C8 CC) [REVIEW: 1999 AR A A 995 CC 20-JAA-2009 M. MILD-TID-224242411 NOT2 C 20-JAA-2009 AR A A V COM CO SH 1	M MIL-A-3933/24B	Attenuator, Fixed, Coaxial Line, (SMA Connectors), Bulkhead, Class IV, Low Power [CUST: CR	A	5985	CC	20-JAN-2009
Mill.princesses   Paper   Pa	M MIL-W-23351/4C	Waveguides, Double Ridge (Bandwidth Ratio 2.4:1) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR	A	5985	CC	20-JAN-2009
M. MILDTI. 2442-24 NOT 2 M. MILDTI. 2442-24 NOT 3 M. MILDTI. 2442-24 NOT 2 M. MILDTI. 2442-24 NOT 3 M. MILDTI. 2442-24 NO	M MIL-F-39000/3C	Flanges, Waveguide, Double Ridge, Socket Mount (Bandwidth Ratio 2.4:1) [CUST: CR EC 85 CC]	A	5985	CC	20-JAN-2009
M. MILD-12442/2A NOT 3	M MIL-DTL-22442/41B NOT 2	E	A	5995	AS	30-JAN-2009
Grounding Plug Connector General Specification for [CUST: CR EC.25 (SSR) [REVIEW: 71 AS ACT	M MIL-DTL-22442/42A NOT 3		A	5995		
S000 Hortz, Grounding Plug Connector and Mit-C-287772B NOT 2	M MIL-C-28777A SUP 1A NOT 2	Grounding Plug Connector General Specification for [CUST: CR EC 85 GS8] [REVIEW: 71 AS	A	6150	GS8	26-JAN-2009
M. MIL-C-287772B NOT 2	M MIL-C-28777/1C(1) NOT 2	Cable Assembly, (Type I), Electronic Test Equipment, (2 Poles, 3 Wires, 125 Volts, 13 Amperes, 50/60 Hertz), Grounding Plug Connector and Mil-C-5015 Connector with Cable Clamp [CUST: CR	A	6150	GS8	26-JAN-2009
M MS513 BS NOT1 3  Headlight, Blackon; 24 Volt Waterproof (CUST: AT 99 GS2) [REVEW: CR2 IS]  Plaster Materials, Glass Fiber Base; — Epoxy Resin, Low Pressure Laminated (CUST: AV AS 99)  REVERV: 85 MI]  MIL-STD-1247D  MRIL-STD-1247D  MRIL-	M MIL-C-28777/2B NOT 2	Cable Assembly (Type I), Electronic Test Equipment, (2 Poles, 3 Wires, 125 Volts, 13 Amperes, 50 or 60 Hertz), Grounding Plug Connector and Terminal Lugs [CUST: CR EC 85 GS8] [REVIEW: 71	A	6150	GS8	26-JAN-2009
M MIL.STD-1247D Markings, Functions and Hazards Designations of Hose, Pipe, and Tube Lines for Aircraft Missile, and Space Systems (CUST: MI AS 11 IS) [REVIEW: 10 19-40 68-99 AV MC OS]  A SAFT MI 29-JAN-2009 and Space Systems (CUST: MI AS 11 IS) [REVIEW: 10 19-40 68-99 AV MC OS]	M MS51318B NOT 3 M MIL-DTL-25421C	Headlight, Blackout, 24-Volt Waterproof [CUST: AT 99 GS2] [REVIEW: CR4 IS] Plastic Materials, Glass Fiber Base - Epoxy Resin, Low Pressure Laminated [CUST: AV AS 99]	1			
	M MIL-STD-1247D	Markings, Functions and Hazards Designations of Hose, Pipe, and Tube Lines for Aircraft Missile,	A	SAFT	MI	29-JAN-2009
	01 EED 2000					

01-FEB-2009

#### **CANCELED SECTION**

#### **ASSIST UPDATE**

CANCELED SECTION	ASSIST UPDATE					
N OCLION TO THE ACTION TO THE	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M MIL-F-11522F(1) NOT 3	DOCUMENT TITLE  Fuze, Smoke Pot, M208 and Fuze, Hand Grenade, M226 (S/S by MIL-DTL-51353) [CUST: EA OS]		1365		EA	28-JAN-2009
M MS17795A NOT 3	[REVIEW: MC] Bearing, Sleeve, Plain Type, Sintered Bronze, Oil Impregnated (S/S by ASTM-B438) [CUST: AT	A	3120		GS4	21-JAN-2009
M MS17796B(1) NOT 2	OS 99 GS4] [REVIEW: 84 AR AV MI] Bearing, Sleeve, Flanged, Sintered Bronze, Oil Impregnated (S/S by ASTM-B438) [CUST: AT OS	A	3120		GS4	21-JAN-2009
M MS21783 NOT 3	99 GS4] [REVIEW: 84] Bearing, Washer, Thrust, Sintered Bronze, Oil Impregnated (S/S by ASTM-B438) [CUST: AT OS 99 GS4] [REVIEW: 84 AR AS CC MI]	A	3120		GS4	21-JAN-2009
M MIL-F-7326G(1) NOT 1	Flashlights, Penlight Style (No S/S Document) [CUST: AV AS 99 GS2]	A			GS2	21-JAN-2009
M MS21998C NOT 3 M A-A-55824 NOT 2	Flashlight, Penlight Style (No S/S Document) [CUST: AV AS 99 GS2] N-AMYL Acetate (No S/S Document) [CUST: EA 68 GS3] [REVIEW: CR4 MD1]	A A		/	GS2 GS3	21-JAN-2009 21-JAN-2009
M MIL-G-46003A NOT 1 M QPL-46003-10 NOT 2	Grease, Rifle (No S/S Document) [CUST: AR AS 99] Grease, Rifle (No S/S Document)	A A			AR AR	15-JAN-2009
M MIL-HDBK-510 NOT 2	Aerospace Fuels Certification (S/S by MIL-HDBK-510-1 and MIL-HDBK-510-2) [CUST: 11]		91GP		11	15-JAN-2009 13-JAN-2009
M ANSI-Y14.15	[REVIEW: 68] Electrical and Electronics Diagrams (No S/S Document) [CUST: AR SA 16] [REVIEW: 13 99 AS CG CH CM CR DC2 DH EC IE MC MI MP NP NS PT SE TD TM2]	A	DRPR		AR	28-JAN-2009
M ASME-Y14.2M	Line Conventions and Lettering (S/S by ASME-Y14.2) [CUST: AR SA 16] [REVIEW: 13 99 AS CG CH CM CR DC2 DH EC IE MC MI MP NP NS PT SE TD TM2]	A	DRPR		AR	22-JAN-2009
M MIL-STD-2154 NOT 3	Inspection, Ultrasonic, Wrought Metals, Process for (S/S by ASTM-E2375 and SAE-AMS-STD-2154) [CUST: MR AS 11]	A	NDTI		AS	28-JAN-2009

01-FEB-2009